American Patchwork & Quilting $_{\circ}|$ Quilt Sampler $_{\circ}|$ Quilts and More $_{\rm m}$

Project: Cozy Flannel Pillow

INSPIRED BY BURSTING WITH ENERGY FROM DESIGNER SHARON HOLLAND (SHARONHOLLANDDESIGNS.COM) QUILT TESTER: JAN RAGALLER



To make a cozy flannel pillow, foundation-piece four blocks and added a red print border.

Project: Cozy Flannel Pillow

Materials

- 1 yard assorted flannels in brown, purple, red, blue, orange, and green (blocks)
- ½ yard red flannel (border, pillow back)
- Lightweight copy paper, tracing paper, or other foundation material of your choice
- 15"-square pillow form

Finished pillow: 17¹/₂" square Finished block: 7¹/₂" square

Yardages and cutting instructions are based on 42" of usable fabric width.

Cut Fabrics

Cut pieces in the following order.

Because the blocks are foundationpieced, fabric pieces are cut larger than necessary. You'll trim them to the correct sizes after stitching them to the foundation material.

From assorted flannels, cut:

- 8—3×12" rectangles for positions 3 and 4
- 8—3×8½" rectangles for positions 2 and 5
- 8—3×5" rectangles for positions 1 and 6

From red flannel, cut:

- 2—11**½**×18" rectangles
- 2—1¾×18" border strips
- 2—1**¾**×15**½**" border strips

Prepare Foundation Papers

The Foundation Pattern is on page 6.

 Use a pencil to trace Foundation Pattern four times onto lightweight copy paper or foundation material of your choice, tracing all lines and numbers. (Alternatively, print it on your foundation material. Be sure to print the foundation paper at 100% or full scale and check the accuracy of printing with the 1" square guide on page 6.)

 Cut out traced foundation patterns roughly ¼" outside dashed lines to make four foundation papers.


Assemble Blocks

To foundation-piece, you stitch fabric pieces to a foundation paper with the marked side of the paper facing up and the fabric pieces layered underneath. The resulting pieced units are mirror images of foundation papers.

- **1.** Gather one each of positions 1-6 rectangles.
- Aligning long edges, layer position 1 rectangle atop position 2 rectangle with right sides together.
- **3.** Place a foundation paper atop layered rectangles, positioning the paper so the rectangles' aligned edges are at least 1/4" beyond the stitching line between positions 1 and 2 and extend beyond the foundation paper's right-hand and bottom dashed lines (Diagram 1). To check placement, pin on the line between positions 1 and 2. Flip top rectangle open. Make sure it completely covers position 2 and extends into position 3 at least 1/4". (Hold pinned unit up to the light to see through paper, if necessary.) If it doesn't cover, reposition and recheck until it does.
- **4.** With the marked side of the foundation paper up, sew on

first stitching line through all layers, extending stitching past beginning and ending of the line by a few stitches. Press position 2 rectangle open (Diagram 2).

- Layer position 3 rectangle under position 2 rectangle. Make sure the long edge of the position 3 rectangle extends at least 1⁄4" past the stitching line between positions 2 and 3. Adjust, if necessary. Sew on stitching line (Diagram 3).
- 6. Fold foundation paper back on the stitching line between positions 2 and 3 (Diagram 4).
- Place ruler against folded edge of foundation paper. Trim position 2 rectangle (Diagram 5) to create ¹/4" seam allowance (Diagram 6).
- 8. Unfold foundation paper; press flat with a dry iron. Press rectangles open, pressing seam toward position 3 rectangle (Diagram 7).
- 9. Continue adding rectangles, trimming in the same manner, until you have pieced entire paper (Diagram 8). Press with paper in place. Trim along dashed outer lines (Diagram 9) to make a block. Remove foundation paper, working carefully to avoid pulling or distorting the block. The block should be 8" square including seam allowances.
- **10.** Repeat steps 1–9 to make four blocks total. Quilt tester Jan Ragaller changed the color placement of rectangles, so all blocks were different.



American Patchwork & Quilting | Quilt Sampler | Quilts and More

Project: Cozy Flannel Pillow

Assemble Pillow Top

 Referring to Pillow Assembly Diagram and noting orientation, lay out blocks. Sew together blocks in pairs. Press seams in block pairs in opposite directions. Join pairs to make pillow center. Press seam in one direction. The pillow center should be 15¹/₂" including seam allowances.

2. Referring to Pillow Assembly Diagram, sew red flannel

1%×15½" border strips to opposite edges of pillow center. Add red flannel 1%×18" border strips to remaining edges to make pillow top. Press all seams toward strips. The pillow top should be 18" square including seam allowances.

Finish Pillow

- Turn one long edge of each red flannel 11¹/₂×18" rectangle under ¹/₄"; press. Turn same long edges under ¹/₄" again; press. Topstitch folded edges to hem.
- 2. Referring to Pillow Back Assembly Diagram, overlap hemmed edges of red flannel rectangles about 4" to make an 18" square. Stitch across overlap to make pillow back.
- Layer pillow top and pillow back with right sides together. Stitch all edges to make pillow cover. Turn right side out through opening in pillow back; press.
- Topstitch in the ditch between the border and blocks to make a flange.
- Insert pillow form to complete pillow.

American Patchwork & Quilting_{\circ} | $\text{Quilt Sampler}_{\circ}$ | $\text{Quilts and More}_{m}$

Project: Cozy Flannel Pillow




DIAGRAM 7

DIAGRAM 8

American Patchwork & Quilting_{\circ} | $\text{Quilt Sampler}_{\circ}$ | $\text{Quilts and More}_{m}$

Project: Cozy Flannel Pillow






DIAGRAM 9




PILLOW ASSEMBLY DIAGRAM




PILLOW BACK ASSEMBLY DIAGRAM

American Patchwork & $\text{Quilting}_{\circ}|$ $\text{Quilt Sampler}_{\circ}|$ $\text{Quilts and More}_{\pi}$

Project: Cozy Flannel Pillow





* NOTE:

When printing a downloadable pdf, set Page Scaling preference to NONE to print patterns at 100%. Do NOT "Shrink to Fit" or "Fit to Printable Area."