

Project: Patchwork Pillow Pair

DESIGNER: DARLENE ZIMMERMAN



Piece squares and rectangles into classic Pineapple and Log Cabin blocks to easily create a stunning sun-and-sky color duo.

## Project: Patchwork Pillow Pair

### Materials

#### for two pillows

- ¼ yard total assorted yellow prints (blocks)
- 1½ yards dark blue print (block, borders, pillow backs, binding)
- ⅜ yard total assorted blue prints (blocks)
- 2–18" squares muslin (lining)
- 2–18" squares batting
- 2–14"-square pillow forms

Finished pillows: 14" square

Finished blocks: Pineapple, 11" square; Log Cabin, 5½" square

Yardages and cutting instructions are based on 42" of usable fabric width.

Measurements include ¼" seam allowances unless otherwise stated. Sew with right sides together unless otherwise stated.

### Cut and Assemble Pineapple Pillow Top

Cut pieces in the following order.

#### From assorted yellow prints, cut:

- 16–2½" squares
- 4–2" squares

#### From dark blue print, cut:

- 2–2½×42" binding strips
- 2–14½×18½" rectangles
- 2–2×14½" border strips
- 2–2×11½" border strips
- 1–3½" square

#### From assorted blue prints, cut:

- 2–1½×11½" rectangles for positions 15 and 16
- 4–1½×9½" rectangles for positions 11 through 14
- 4–1½×7½" rectangles for positions 7 through 10
- 4–1½×5½" rectangles for positions 3 through 6
- 2–1½×3½" rectangles for positions 1 and 2

1. Use a pencil to mark a diagonal line on wrong side of each yellow print 2" and 2½" square. (To prevent fabric from stretching as you draw the line, place 220-grit sandpaper under each square.)

Note: Instead of drawing a line, you may use an iron to press each square in half diagonally with the wrong side inside. Open pressed square and use crease as a stitching guideline.

2. Align a marked yellow print 2" square with one corner of the dark blue print 3½" square (Diagram 1; note placement of marked diagonal line). Stitch on marked line; trim excess fabric, leaving a ¼" seam allowance. Press attached triangle open. Add a second marked yellow print square to opposite corner; trim and press as before.

In the same manner, add yellow print 2" squares to remaining corners of dark blue print square to make a block center (Diagram 2).

3. Sew blue print position 1 and 2 rectangles to opposite edges of block center (Diagram 3). Press seams (and all following seam allowances, unless otherwise indicated) away from block center.
4. Add blue print position 3 and 4 rectangles to remaining edges of block center to make a bordered block center (Diagram 4). The bordered block center should be 5½" square including seam allowances.
5. Referring to Step 2 on page 19, add four marked yellow print 2½" squares to corners of bordered block center (Diagram 5; note placement of marked

diagonal lines). The bordered block center should still be 5½" square including seam allowances.

6. Continue adding blue print strips in numerical order to bordered block center. After each round of strips, add marked yellow print 2½" squares to corners to make a Pineapple block (Diagram 6). The Pineapple block should be 11½" square including seam allowances.
7. Join dark blue print 2×11½" border strips to opposite edges of Pineapple block. Join dark blue print 2×14½" border strips to remaining edges to complete Pineapple pillow top.

### Cut and Assemble Log Cabin Pillow Top

Cut pieces in the following order.

#### From assorted yellow prints, cut:

- 4–1½×5" rectangles for position 6
- 4–1½×4" rectangles for position 5
- 4–1½×3" rectangles for position 2
- 4–1½×2" rectangles for position 1

#### From dark blue print, cut:

- 2–2½×42" binding strips
- 2–14½×18½" rectangles
- 2–2×14½" border strips
- 2–2×11½" border strips

#### From assorted blue prints, cut:

- 4–1½×6" rectangles for position 8
- 4–1½×5" rectangles for position 7
- 4–1½×4" rectangles for position 4
- 4–1½×3" rectangles for position 3
- 4–2" squares

## Project: Patchwork Pillow Pair

1. Sew together a blue print 2" square and a yellow print position 1 rectangle to make a block center (**Diagram 7**). Press seam toward yellow print rectangle.
2. Referring to **Diagram 8**, add yellow print position 2 rectangle to bottom edge of block center; press as before.
3. Referring to **Diagram 9**, add blue print position 3 rectangle to left-hand edge of block center; press seam toward blue print rectangle.
4. Add blue print position 4 rectangle to top edge of block center; press. Continue adding rectangles in numerical order to make a Log Cabin block (**Diagram 10**). Always press seam away from center. The Log Cabin block should be 6" square including seam allowances.
5. Repeat steps 1-4 to make four Log Cabin blocks total.
6. Referring to photo, page 1, lay out the four Log Cabin blocks in pairs; sew together. Press seams in opposite directions. Join pairs to make pillow center. Press seam in one direction.
7. Join dark blue print 2×11½" border strips to opposite edges of pillow center. Join dark blue print 2×14½" border strips to remaining edges to complete Log Cabin pillow top.

### Finish Pillows

1. Layer each pillow top with an 18" batting square and a muslin 18" square. Quilt as desired. Trim batting and muslin lining even with pillow top edges.
2. With wrong sides inside, fold two dark blue print 14½×18½" rectangles in half to form two double-thick 14½×9¼" pieces. Overlap folded edges by about 4" to make a 14½" square (**Diagram 11**). Stitch around entire square to make a pillow back. (The double thickness makes the pillow back more stable.) Repeat with remaining dark blue print 14½×18½" rectangles to make a second pillow back.
3. With wrong sides together, layer each quilted pillow top with a pillow back; baste. Bind with dark blue print binding strips. Insert pillow forms through openings to complete pillows.

Project: Patchwork Pillow Pair




DIAGRAM 1



DIAGRAM 2



DIAGRAM 3




DIAGRAM 4




DIAGRAM 5





DIAGRAM 6



DIAGRAM 7



DIAGRAM 8



DIAGRAM 9




DIAGRAM 10




DIAGRAM 11